



# Torre di puntellazione 1140x1140 cassaforma superiore m<sup>2</sup> 6.25

1140x1140 mm shoring tower with 6.25 m<sup>2</sup> upper formwork - Stützturm 1140x1140 Schalung größer m<sup>2</sup> 6,25

Tour d'étaillage 1140x1140 coffrage supérieur 6,25 m<sup>2</sup> - Torre de apuntelado 1140x1140 encofrado superior m<sup>2</sup> 6,25

## 01. Piede regolabile

01. Adjustable base jack  
01. Verstellbarer Fuß  
01. Pied réglable  
01. Pié regulable

## 02. Montante H 3000 mm

02. 3000 mm upright  
02. Trägerpfosten H 3000 mm  
02. Montant H 3000 mm  
02. Montante H 3000 mm

## 03. Spina con molla D16

03. Spring pin D16  
03. Federstift D16  
03. Fiche à ressort D16  
03. Punta con muelle D16

## 04. Inserto di collegamento

04. Connection element  
04. Verbindungseinsatz  
04. Insert de jonction  
04. Inserto de unión

## 05. Montante H 2000 mm

05. 2000 mm upright  
05. Trägerpfosten H 2000 mm  
05. Montant H 2000 mm  
05. Montante H 2000 mm

## 06. Piattello di aggancio

06. Octagonal node plate  
06. Kopplungsscheibe  
06. Plateau d'accrochage  
06. Platillo de enganche

## 07. Molla di aggancio al montante

07. Spring upright plug  
07. Kopplungsfeder für Trägerpfosten  
07. Ressort d'accrochage au montant  
07. Muelle de enganche al montante

## 08. Testa regolabile

08. Adjustable head jack  
08. Verstellbarer Kopf  
08. Tête réglable  
08. Cabeza regulable

## 09. Arrivo del montante

09. Upright upper end  
09. Reichweite des Trägerpfostens  
09. Arrivée du montant  
09. Final del montante

## 10. Diagonale in pianta 1140x1140 mm

10. 1140x1140 mm horizontal-diagonal brace  
10. Horizontale Kreuzstrebe 1140x1140 mm  
10. Diagonale en plan 1140x1140 mm  
10. Diagonal en planta 1140x1140 mm

## 11. Diagonale vista 1140x1500 mm

11. 1140x1500 mm vertical-diagonal brace  
11. Vertikale Kreuzstrebe 1140x1500 mm  
11. Diagonale visuelle 1140x1500 mm  
11. Diagonal vista 1140x1500 mm

## 12. Corrente 1140 mm

12. 1140 mm upright  
12. Längsschwelle 1140 mm  
12. Solive 1140 mm  
12. Corriente 1140 mm

## 13. Diagonale in pianta 1140x1140 mm

13. 1140x1140 mm horizontal-diagonal brace  
13. Beginn des Trägerpfostens  
13. Diagonale en plan 1140x1140 mm  
13. Diagonal en planta 1140x1140 mm

## 14. Partenza del montante

14. Upright lower end  
14. Beginn des Trägerpfostens  
14. Départ du montant  
14. Salida del montante

## 15. Corrente 1140 mm

15. 1140 mm upright  
15. Längsschwelle 1140 mm  
15. Solive 1140 mm  
15. Corriente 1140 mm

## 16. Diagonale pianta 1140x1140 mm


16. 1140x1140 mm horizontal-diagonal brace  
16. Horizontale Kreuzstrebe 1140x1140 mm  
16. Diagonale en plan 1140x1140 mm  
16. Diagonal planta 1140x1140 mm

## H 600 CM (I)

vista B-B'

## H 600 CM (I)

view B-B'





sistema di puntellazione SMP8

# Torre di puntellazione 1140x1140 cassaforma superiore m<sup>2</sup> 6.25

1140x1140 mm shoring tower with 6.25 m<sup>2</sup> upper formwork - Stützturm 1140x1140 Schalung größer m<sup>2</sup> 6.25

Tour d'étayage 1140x1140 coffrage supérieur 6,25 m<sup>2</sup> - Torre de apuntelado 1140x1140 encofrado superior m<sup>2</sup> 6.25

H 750 CM (L)  
H 1000 CM (M)



sistema di puntellazione SMP8